Listing of Claims:

The listing of the claims which follows replaces any and all prior versions and/or listings of the claims in the application.

1. (Currently Amended) A compound represented by Formula Ia



~~I~~



Ia

or a pharmaceutically acceptable salt ~~or hydrate~~ thereof, wherein:

n and m are each independently 0, 1 or 2;

~~J is selected from NR^1 or $C(R^1)(R^2)$;~~

K is selected from NR^3 ~~or $C(R^3)(R^4)$~~;

L is selected from ~~NR^5 or~~ $C(R^5)(R^6)$;

X is a bond, -C(O), $-N(R^{14})$-, $-N(R^{14})$-C(O)-, -C(O)-$N(R^{14})$-, ~~$-N(R^{14})S(O)_k-$~~, or -$N(R^{14})$-C(O)-NH- ~~or $-S(O)_k-N(R^{14})$~~;

~~k is 0, 1 or 2;~~

R^1 ~~and R^{10} are each independently~~ is selected from the group consisting of:

(1) C_{1-6}alkyl,

(2) C_{2-6}alkenyl,

(3) C_{2-6}akynyl,

(4) C_{3-6}cycloalkyl,

(5) C_{1-6}alkoxy,

(6) C_{1-6}alkyl-S(O)$_k$-, wherein k is 0, 1 or 2,
(7) aryl,
(8) aryl C_{1-6}alkyl,
(9) HET,
(10) -C_{1-6}alkyl-HET,
(11) aryloxy,
(12) aroyloxy,
(13) aryl C_{2-6}alkenyl,
(14) aryl C_{2-6}alkynyl,
(15) hydrogen,
(16) hydroxyl, and
(17) cyano,

wherein items (1) to (6) above and the alkyl portions of items (8) and (10) above and the alkenyl portion of item (13) above and the alkynyl portion of item (14) above are optionally substituted from one up to the maximum number of substitutable positions with a substituent independently selected from the group consisting of: halo, oxo, OR^{13}, $N(R^{14})_2$, C_{3-6}cycloalkyl and C_{1-6}alkyl-S(O)$_k$-, wherein k is 0, 1 or 2, and

wherein items (7), (9), (11) and (12) above and aryl portion of items (8), (13) and (14) above and the HET portion of item (10) above are optionally substituted from one up to the maximum number of substitutable positions with a substituent independently selected from the group consisting of:

(a) halo,
(b) OR^{13},
(c) $N(R^{14})_2$,
(d) C_{1-6}alkyl,
(e) C_{2-6}alkenyl,
(f) C_{2-6}akynyl,
(g) C_{1-6}alkyl-S(O)$_k$-, wherein k is 0, 1 or 2,
(h) aryl,
(i) aryl-S(O)$_k$-, wherein k is 0, 1 or 2,
(j) HET,
(k) aryl C_{1-6}alkyl,
(l) aroyl,

(m) aryloxy,
(n) aryl C_{1-6}alkoxy,
(o) CN and
(p) C_{3-6}cycloalkyl,

wherein items (d) to (g) and (p) above and the alkyl portions of item (k) above are optionally substituted from one up to the maximum number of substitutable positions with a substituent independently selected from the group consisting of: halo, OR^{13} and $N(R^{14})_2$, and

wherein items (h), (i), (j), (l) and (m) above and the aryl portions of items (k) and (n) above are optionally substituted from one up to the maximum number of substitutable positions with a substituent independently selected from the group consisting of: halo, OR^{13} and C_{1-4}alkyl,

R^{10} is selected from the group consisting of:
(1) phenyl,
(2) benzyl, and
(3) HET, wherein HET is a 5-membered aromatic or non-aromatic monocyclic ring containing 1-3 heteroatoms selected from O, S and N,

wherein groups (1) to (3) above are optionally substituted with 1 to 3 substituents independently selected from the group consisting of:

(a) halo,
(b) C_{1-4}alkyl, optionally substituted with hydroxy or 1 to 3 halo groups,
(c) C_{1-4}alkoxy, optionally substituted with 1 to 3 halo groups,
(d) NH_2,
(e) hydroxy, and
(e) phenyl or benzyl;

~~R^2, R^3, R^4, R^5 and~~ R^6 is ~~are each independently selected from the group consisting of:~~

~~(1)~~ hydrogen,
~~(2) halo,~~
~~(3) C_{1-6}alkyl,~~
~~(4) C_{2-6}alkenyl,~~
~~(5) C_{2-6}akynyl,~~

~~(6) C_{3-6}cycloalkyl,~~
~~(7) C_{1-6}alkoxy,~~
~~(8) C_{1-6}alkyl-S(O)$_k$-, wherein k is 0, 1 or 2,~~
~~(9) aryl,~~
~~(10) aryl C_{1-6}alkyl,~~
~~(11) HET and~~
~~(12) -C_{1-6}alkyl-HET,~~

~~wherein items (3) to (8) above and the alkyl portions of items (10) and (12) above are optionally substituted from one up to the maximum number of substitutable positions with a substituent independently selected from the group consisting of: halo, OR^{13}, $N(R^{14})_2$ and C_{1-6}alkyl-S(O)$_k$-, wherein k is 0, 1 or 2; and~~

~~wherein items (9) and (11) and the aryl portion of items (10) and the HET portion of item (12) are optionally substituted from one up to the maximum number of substituable positions with a substituent independently selected from the group consisting of:~~

~~(a) halo,~~
~~(b) OR^{13},~~
~~(c) $N(R^{14})_2$,~~
~~(d) C_{1-6}alkyl,~~
~~(e) C_{2-6}alkenyl,~~
~~(f) C_{2-6}akynyl and~~
~~(g) C_{1-6}alkyl-S(O)$_k$-, wherein k is 0, 1 or 2,~~

~~wherein items (d) to (g) above are optionally substituted with from one up to the maximum number of substitutable positions with a substituent independently selected from the group consisting of: halo, OR^{13} and $N(R^{14})_2$,~~

~~or R^1 and R^3 or~~ R^3 and R^5 ~~may be~~ are joined together to form a double bond;

R^7 is selected from the group consisting of:
(1) hydrogen,
(2) OR^{13},
(3) C_{1-4}alkyl,
(4) aryl and
(5) aryl C_{1-4}alkyl,

wherein item (3) above and the alkyl portion of item (5) above are optionally substituted with from one up to the maximum number of substitutable positions with a substituent independently selected from the group consisting of: halo, OR^{13} and $N(R^{14})_2$, and

wherein item (4) above and the aryl portion of item (5) above are optionally substituted with from one up to the maximum number of substitutable positions with a substituent independently selected from the group consisting of:

(a) halo,
(b) OR^{13},
(c) $N(R^{14})_2$,
(d) C_{1-6}alkyl,
(e) C_{2-6}alkenyl and
(f) C_{2-6}akynyl,

wherein items (d) to (f) above are optionally substituted with from one up to the maximum number of substitutable positions with a substituent independently selected from the group consisting of: halo, OR^{13} and $N(R^{14})_2$;

~~each~~ Y_1 ~~, Y_2 and Y_3 are independently selected from the group consisting of:~~ is

~~(1)~~ hydrogen,
~~(2) -O-R^9,~~
~~(3) -S(O)$_k$-R^9, wherein k is 0, 1 or 2,~~
~~(4) -C-W-R9, wherein W is O or S(O)k,~~
~~(5) -N(R^{15})2,~~
~~(6) -S(O)$_k$-N(R^{15})$_2$,~~
~~(7) -N(R^{15})-S(O)k-N(R^{15})$_2$,~~
~~(8) NO_2,~~
~~(9) -C(O)-R^{15},~~
~~(10) -C(O)O-R^{15},~~
~~(11) -CN,~~
~~(12) halo,~~
~~(13) -O-S(O)$_k$-R^{15} and~~
~~(14) C_{1-4}alkyl, optionally substituted with from 1 to 6 halo groups,~~

~~with the proviso that when Y_2 is hydrogen, Y_3 is -C(O)-R^{15}, R^{15} is C_{1-6}alkyl and X is -C(O) then R^{10} is not C_{1-6}alkyl, and~~

~~with the proviso that when Y_2 is $-C(O)-R^{15}$, Y_3 is hydrogen, R^{15} is C_{1-6}alkyl and X is $-C(O)$ then R^{10} is not C_{1-6}alkyl, and~~

~~with the proviso that when Y_2 and Y_3 are both hydrogen, X is a bond and R^{10} is HET, then said HET is defined as a 5-membered aromatic or non-aromatic monocyclic ring containing 1-3 heteroatoms selected from O, S and N,~~

Y_2 is CF_3;

~~R^8 is selected from the group consisting of: hydrogen, C_{1-6}alkyl, C_{1-6}alkoxy, $-C_{1-6}$alkyl-C(O)OH and $-C_{1-6}$alkyl-C(O)O-C_{1-6}alkyl, wherein the C_{1-6}alkyl portion is optionally mono, di or tri substituted with halo; or where R^8 and $-XR^{10}$ together with the carbon atom to which they are attached form the spiro group:~~



~~R^9 is selected from the group consisting of: hydrogen, C_{1-12}alkyl and aryl, wherein C_{1-12}alkyl and aryl are optionally substituted from one up to the maximum number of substituents with halo;~~

each R^{11}, R^{12} and R^{16} is independently selected from the group consisting of:

(1) hydrogen,
(2) halo,
(3) C_{1-6}alkyl,
(4) C_{2-6}alkenyl,
(5) C_{1-6}alkoxy and
(6) hydroxy,

wherein items (3) to (5) above are optionally substituted from one up to the maximum number of substitutable positions with a substituent independently selected from the group consisting of: halo, OR^{12}, $N(R^{13})_2$ and C_{1-6}alkyl-$S(O)_k$-, wherein k is 0, 1 or 2, and

~~or R^{16} may additionally be hydrogen;~~

each R^{13} and R^{14} is independently selected from the group consisting of hydrogen and C_{1-4}alkyl, optionally substituted from one up to the maximum number of substitutable positions with halo~~; and~~

~~each R^{15} is independently selected from the group consisting of: hydrogen, C_{1-6}alkyl, aryl and C_{1-12}alkoxycarbonyl, wherein said C_{1-6}alkyl and C_{1-12}alkoxycarbonyl are optionally substituted from one up to the maximum number of substituable positions with halo and said aryl is optionally substituted from one up to the maximum number of substituable positions with halo and C_{1-4}alkyl, optionally substituted with 1-3 halo groups~~.

2-3. (Canceled)

4. (Original) A compound according to Claim 1 wherein R^1 is phenyl or pyridyl said phenyl or pyridyl or optionally mono or di-substituted with a substituent independently selected from the group consisting of:

(a) halo,
(b) OCH_3,
(d) CH_3,
(e) CN.

5-10. (Previously Canceled)

11. (Currently Amended) A compound according to Claim 1 wherein
X is a bond, -C(O), –N(R^{14})-, -N(R^{14})-C(O)-, -C(O)-N(R^{14})-, -N(R^{14})-C(O)-NH- ;
Y_1 is hydrogen;
R^1 is phenyl, optionally mono or di-substituted with halo;
R^7 is methyl[[.]],
R^{11} is hydrogen;
R^{12} is hydrogen;
R^{14} is hydrogen or methyl; and
R^{16} is hydrogen~~;~~. ~~and~~
~~R^{10} are each independently selected from the group consisting of:~~
~~(1) C_{1-4}alkyl,~~

(2) C_{2-4}alkenyl,
(3) C_{2-4}akynyl,
(4) C_{3-6}cycloalkyl,
(5) C_{1-4}alkoxy,
(6) aryl,
(7) aryl C_{1-4}alkyl,
(8) HET,
(9) -C_{1-4}alkyl-HET,
(10) aryloxy,
(11) aroyloxy,
(12) aryl C_{2-4}alkenyl,
(13) aryl C_{2-6}alkynyl,

wherein items (1) to (5) above and the alkyl portions of items (7) and (9) above and the alkenyl portion of item (12) above and the alkynyl portion of item (13) above are optionally substituted with from one to three substituents independently selected from the group consisting of: halo, OR^{13}, $N(R^{14})_2$, C_{3-6}cycloalkyl and C_{1-6}alkyl-$S(O)_k$-, wherein k is 0, 1 or 2, and

wherein items (6), (8), (10) and (11) above and aryl portion of items (7), (12) and (13) above and the HET portion of item (9) above are optionally substituted with from one to three substituents independently selected from the group consisting of:

(a) halo,
(b) OR^{13},
(c) $N(R^{14})_2$,
(d) C_{1-4}alkyl,
(e) C_{2-4}alkenyl,
(f) C_{2-4}akynyl,
(g) aryl,
(h) HET,
(i) aryl C_{1-6}alkyl,
(j) aroyl,
(k) aryloxy,
(l) aryl C_{1-6}alkoxy and
(m) CN,

~~wherein items (d) to (f) above and the alkyl portions of item (i) above are optionally substituted from with one to three substituents independently selected from the group consisting of: halo, OR^{13} and $N(R^{14})_2$, and~~

~~wherein items (g), (h), (j) and (k) above and the aryl portions of items (i) and (l) above are optionally substituted with from one to three substituents independently selected from the group consisting of: halo, OR^{13} and C_{1-4}alkyl,~~

12. (Currently Amended) A compound according to Claim 1 of Formula Ib



Ib

wherein:

m is 0 or 1,

n is 0 or 1,

R^1 is phenyl, optionally mono or di-substituted with halo; and

~~R^{10} are each independently selected from the group consisting of:~~

~~(1) C_{1-6}alkyl,~~

~~(2) C_{2-6}alkenyl,~~

~~(3) C_{2-6}akynyl,~~

~~(4) C_{3-6}cycloalkyl,~~

~~(5) C_{1-6}alkoxy,~~

~~(6) C_{1-6}alkyl-$S(O)_k$-, wherein k is 0, 1 or 2,~~

~~(7) aryl,~~

~~(8) aryl-C_{1-6}alkyl,~~

~~(9) HET,~~

~~(10) C_{1-6}alkyl-HET,~~

~~(11) aryloxy,~~

~~(12) aroyloxy,~~

(13) aryl C_{2-6}alkenyl,
(14) aryl C_{2-6}alkynyl,
(15) hydrogen, and
(16) hydroxy

wherein items (1) to (6) above and the alkyl portions of items (8) and (10) above and the alkenyl portion of item (13) above and the alkynyl portion of item (14) above are optionally substituted with from one to three substituents independently selected from the group consisting of: halo, OR^{13}, $N(R^{14})_2$, C_{3-6}cycloalkyl and C_{1-6}alkyl-$S(O)_k$-, wherein k is 0, 1 or 2, and

wherein items (7), (9), (11) and (12) above and aryl portion of items (8), (13) and (14) above and the HET portion of item (10) above are optionally substituted with from one to three substituents independently selected from the group consisting of:

(a) halo,
(b) OR^{13},
(c) $N(R^{14})_2$,
(d) C_{1-6}alkyl,
(e) C_{2-6}alkenyl,
(f) C_{2-6}akynyl,
(g) C_{1-6}alkyl-$S(O)_k$-, wherein k is 0, 1 or 2,
(h) aryl,
(i) aryl-$S(O)_k$-, wherein k is 0, 1 or 2,
(j) HET,
(k) aryl C_{1-6}alkyl,
(l) aroyl,
(m) aryloxy,
(n) aryl C_{1-6}alkoxy and
(o) CN,

wherein items (d) to (g) above and the alkyl portions of item (k) above are optionally substituted from one to three substituents independently selected from the group consisting of: halo, OR^{13} and $N(R^{14})_2$, and

wherein items (h), (i), (j), (l) and (m) above and the aryl portions of items (k) and (n) above are optionally substituted from one to three substituents independently selected from the group consisting of: halo, OR^{13} and C_{1-4}alkyl,

~~each R^{13} and R^{14} is independently selected from the group consisting of hydrogen and C_{1-4}alkyl, optionally substituted from one to three halo groups;~~

R^{16} and each R^{11} are independently selected from the group consisting of:

(1) hydrogen,

(2) halo,

(3) methyl,

(4) methoxy, and

(5) hydroxy~~;~~.

~~Y_1 and Y_2 are each selected from the group consisting of:~~

~~(1) hydrogen,~~

~~(2) hydroxy,~~

~~(3) halo,~~

~~(4) methyl,~~

~~(5) NO_2,~~

~~(6) CN,~~

~~(6) mono, di or tri halo substituted methyl,~~

~~X is a bond, C(O), $N(R^{14})$, $N(R^{14})C(O)$, $C(O)N(R^{14})$, $N(R^{14})S(O)_k$, $N(R^{14})C(O)NH$ or $S(O)_kN(R^{14})$;~~

13. (Original) A compound according to Claim 12 wherein Y_1, R^{11} and R^{16} are each hydrogen.

14. (Currently Amended) A compound according to Claim 12 of Formula Ic:



Ic

wherein

n is 0 or 1, and

R^1 is phenyl, optionally mono or di-substituted with halo~~;~~.

~~R^{10} is selected from the group consisting of:~~

~~(1) C_{1-6}alkyl,~~

~~(2) C_{2-6}alkenyl,~~

(3) C_{2-6}akynyl,
(4) C_{3-6}cycloalkyl,
(5) C_{1-6}alkoxy,
(6) C_{1-6}alkyl-S(O)$_k$-, wherein k is 0, 1 or 2,
(7) aryl,
(8) aryl C_{1-6}alkyl,
(9) HET,
(10) -C_{1-6}alkyl-HET,
(11) aryloxy,
(12) aroyloxy,
(13) aryl C_{2-6}alkenyl,
(14) aryl C_{2-6}alkynyl,
(15) hydrogen, and
(16) hydroxy

wherein items (1) to (6) above and the alkyl portions of items (8) and (10) above and the alkenyl portion of item (13) above and the alkynyl portion of item (14) above are optionally substituted with from one to three substituents independently selected from the group consisting of: halo, OR^{13}, $N(R^{14})_2$, C_{3-6}cycloalkyl and C_{1-6}alkyl-S(O)$_k$-, wherein k is 0, 1 or 2, and

wherein items (7), (9), (11) and (12) above and aryl portion of items (8), (13) and (14) above and the HET portion of item (10) above are optionally substituted with from one to three substituents independently selected from the group consisting of:

(a) halo,
(b) OR^{13},
(c) $N(R^{14})_2$,
(d) C_{1-6}alkyl,
(e) C_{2-6}alkenyl,
(f) C_{2-6}akynyl,
(g) C_{1-6}alkyl-S(O)$_k$-, wherein k is 0, 1 or 2,
(h) aryl,
(i) aryl-S(O)$_k$-, wherein k is 0, 1 or 2,
(j) HET,
(k) aryl C_{1-6}alkyl,
(l) aroyl,

~~(m) aryloxy,~~
~~(n) aryl C_{1-6}alkoxy and~~
~~(o) CN,~~
~~wherein items (d) to (g) above and the alkyl portions of item (k) above are optionally substituted with from one to three substituents independently selected from the group consisting of: halo, OR^{13} and $N(R^{14})_2$, and~~

~~wherein items (h), (i), (j), (l) and (m) above and the aryl portions of items (k) and (n) above are optionally substituted with from one to three substituents independently selected from the group consisting of: halo, OR^{13} and C_{1-4}alkyl,~~
~~each R^{13} and R^{14} is independently selected from the group consisting of hydrogen and C_{1-4}alkyl, optionally substituted with from one to three halos; and~~
~~R^{16} and each R^{11} are independently selected from the group consisting of:~~
~~(1) hydrogen,~~
~~(2) halo,~~
~~(3) methyl,~~
~~(4) methoxy, and~~
~~(5) hydroxy;~~
~~Y_1 and Y_2 are each selceted from the group consisting of:~~
~~(1) hydrogen,~~
~~(2) hydroxy,~~
~~(3) halo,~~
~~(4) methyl,~~
~~(5) $-NO_2$,~~
~~(6) -CN,~~
~~(6) mono, di or tri halo substituted methyl,~~
~~X is a bond, -C(O), $-N(R^{14})-$, $-N(R^{14})C(O)-$, $-C(O)-N(R^{14})-$, $-N(R^{14})S(O)_k-$, $-N(R^{14})C(O)NH-$ or $-S(O)_k-N(R^{14})$;~~

15-19. (Canceled).

20. (Currently Amended) The compound according to Claim ~~3~~ 1 wherein ~~Y_2 is hydrogen,~~ X is a bond and R^{10} is HET, wherein HET is a 5-membered aromatic or non-aromatic monocyclic ring containing 1-3 heteroatoms selected from O, S and N.

21. (Original) The compound according to Claim 20 wherein HET is selected from oxazolyl and imidazolyl.

22. (Currently Amended) A compound selected from the group consisting of:

1	
2	
3	
4	
5	

6	
7	
8	
9	
10	

11	
12	
13	
14	
15	

16	
17	
18	
19	
20	

21	
22	
23	
24	
25	

26	
27	
28	
29	
30	

31	
32	
33	
34	
35	

36	
37	
38	
39	
40	

41	
42	
43	
44	
45	

46	
47	
48	
49	
50	

51	
52	
53	
54	
55	

56	
57	
58	
59	

60	
61	
62	
63	
64	

65	
66	
67	
68	
69	

70	
71	
72	
73	
74	

75	
76	
77	
78	
79	

80	
81	
~~**82**~~	
~~**83**~~	
~~**84**~~	

~~85~~	
~~86~~	
~~87~~	
~~88~~	
~~89~~	

~~90~~	
~~91~~	
~~92~~	
~~93~~	
~~94~~	

~~95~~	
~~96~~	
~~97~~	
~~98~~	
~~99~~	

~~100~~	
~~101~~	
~~102~~	
~~103~~	
104	

105	
106	
107	
108	
109	

110	
111	
112	
113	
114	

115	
116	
117	
118	
119	

120	
121	
122	
123	
124	

125	
126	
127	
128	
129	

130	
131	
132	
133	
134	
135	

136	
137	
138	
139	
140	

.

23. (Original) A pharmaceutical composition comprising a compound according to Claim 1 in combination with a pharmaceutically acceptable carrier.

24. (Withdrawn) A method for treating a glucocorticoid receptor mediated disease or condition in a mammalian patient in need of such treatment comprising administering the patient a compound according to Claim 1 in an amount that is effective for treating the glucocorticoid receptor mediated disease or condition.

25-28. (Canceled)

29. (Original) A compound according to Claim 1 of Formula Id



Id

or a pharmaceutically acceptable salt thereof, wherein

R^{10} is a 5-membered aromatic or non-aromatic mono-cyclic ring containing 1-3 heteroatoms selected from O, S, and N, and

R^{10} is mono-substituted with phenyl, wherein phenyl is optionally substituted with 1-3 substituents independently selected from halo, C_{1-4}alkyl and C_{1-4}alkoxy.

30. (Original) The compound according to Claim 29 wherein R^{10} is oxazolyl, oxadiazolyl or thiazolyl.

31. (Previously Canceled)